Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1027	(715/500).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/10/13 14:03
L2	1148	(715/501.1).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/10/13 14:03
L3	2278	(715/513).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/10/13 14:03
L4	337	(715/514).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/10/13 14:03
L5	266	(715/515).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/10/13 14:03
L6	640	(715/517).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/10/13 14:03
L7	125	(715/520).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/10/13 14:03
L8	183	(715/522).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/10/13 14:03
L9	543	(715/526).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/10/13 14:03
S1	837	(715/500).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/11/08 13:30
S2	900	(715/501.1).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/11/08 13:30
S3	1777	(715/513).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/11/08 13:30
S4	290	(715/514).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/11/08 13:31
S5	232	(715/515).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/11/08 13:31
S6	485	(715/517).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/11/08 13:31
S7	100	(715/520).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/11/08 13:31
S8	149	(715/522).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/11/08 13:31
S9	462	(715/526).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/11/08 13:31
S10	4194	S1 or S2 or S3 or S4 or S5 or S6 or S7 or S8 or S9	US-PGPUB; USPAT	OR	ON	2004/11/08 13:34
S11	1286	S10 and (dtd or xmls or (xml adj schema))	US-PGPUB; USPAT	OR	ON	2004/11/08 13:42
S12	432	S11 and (select$6 with display)	US-PGPUB; USPAT	OR	ON	2004/11/08 13:43
S13	211	S12 and @ad<"20010629"	US-PGPUB; USPAT	OR	ON	2004/11/08 13:43

Application #

S14	54	S13 and ((second with file) or (additional with file))	US-PGPUB; USPAT	OR	ON	2004/11/08 13:49
S15	1	("6477549").PN.	US-PGPUB; USPAT	OR	OFF	2004/11/08 14:00
S16	8846	search adj engine	US-PGPUB; USPAT	OR	ON	2004/11/08 14:01
S17	1996	S16 and (dtd or xmls or (xml adj schema))	US-PGPUB; USPAT	OR	ON	2004/11/08 14:10
S18	2490	search.ti.	US-PGPUB; USPAT	OR	ON	2004/11/08 14:10
S19	230	S18 and engine.ti.	US-PGPUB; USPAT	OR	ON	2004/11/08 14:11
S20	111	S19 and @ad<"20010629"	US-PGPUB; USPAT	OR	ON	2004/11/08 14:12
S21	16	S20 and (dtd or xml)	US-PGPUB; USPAT	OR	ON	2004/11/09 10:07
S22	2494	search.ti.	US-PGPUB; USPAT	OR	ON	2004/11/09 10:08
S23	230	S22 and engine.ti.	US-PGPUB; USPAT	OR	ON	2004/11/09 10:08
S24	111	S23 and @ad<"20010629"	US-PGPUB; USPAT	OR	ON	2004/11/09 10:08
S25	1	S24 and (dtd)	US-PGPUB; USPAT	OR	ON	2004/11/09 10:08
S26	964	(715/500).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/05/17 15:15
S27	1018	(715/501.1).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/05/17 15:15
S28	1997	(715/513).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/05/17 15:15
S29	310	(715/514).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/05/17 15:15
S30	246	(715/515).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/05/17 15:15
S31	557	(715/517).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/05/17 15:15
S32	114	(715/520).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/05/17 15:15
S33	167	(715/522).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/05/17 15:15
S34	507	(715/526).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/05/17 15:15

Web Site Search:

html hierarchical structure   [SEARCH] [?] **Search Tips**

Terms used: **html hierarchical structure**

Results 1 - 20 of 59528   Result page: **1** 2 3 4 5 6 7 8 9 10 ...2977   next

---

1   Microsoft Word - GVE99.M.Bailey.Pres.rtf
Size: 2,965.74KB   MIME type: application/pdf

Following several Eurographics education workshops held in different European cities, Visualization Education '99, under the motto Charting the Future for Computer Graphi Coimbra, Portugal, from 3 th to 5 th July. Computer graphics and visualization educat share their experiences and their visions and to make projections and recommendatio computer graphics education. edu Abstract ...

2   DBLP: Yiu-Kai Ng
Size: 14.87KB   MIME type: text/html

2004 34EESeung Jin Lim, Yiu-Kai Ng: Change Discovery of Hierarchically Structured, (HTML/XML Documents. ER 2001: 555-570 23EESeung Jin Lim, Yiu-Kai Ng: An Automa Algorithm for HTML Documents Based on Semantic Hierarchies. ICDE 2001: 303-312 Ng: A Hybrid Fragmentation Approach for Distributed Deductive Database Systems.

3   DBLP: Seung Jin Lim
Size: 6.36KB   MIME type: text/html

2004 13EESeung Jin Lim, Yiu-Kai Ng: Change Discovery of Hierarchically Structured, (HTML/XML Documents. CODAS 2001: 15-24 10EESeung Jin Lim, Yiu-Kai Ng: An Autor Algorithm for HTML Documents Based on Semantic Hierarchies. ICDE 2001: 303-312 Ng: A Hybrid Fragmentation Approach for Distributed Deductive Database Systems.

4   http://www.acm.org/phd/1998/theses/zenel.pdf
Size: 4,677.66KB   MIME type: application/pdf

7 2 IP Support for Proxy Filtering 8 21 PMICP Protocol Design . 14 3 Proxy Server 16 : Common Proxy Server Interface .

5   Microsoft Word - GVE99.S.Owen.1.rtf
Size: 36.55KB   MIME type: application/pdf

org Abstract The ACM SIGGRAPH Education Committee web site is being evolved into worldwide resource for Graphics and Visualization Education. 4. Digital Library Project set of projects, in collaboration with the NSF to evolve the CGVCR into the SIGGRAPH Library (SECDL). Current SECDL Projects These projects involve improving the naviga aspects of the SECDL.

6   DiSC - Yiu-Kai Ng
Size: 10.50KB   MIME type: text/html

Application # 09/895,989

Yiu-Kai Ng16 Seung Jin Lim , Yiu-Kai Ng: WebView: A Tool for Retrieving Internal Stru
Information from HTML Documents. FODO 1998 : 0- 11 Aparna Seetharaman , Yiu-Ka
Horizontal Fragmentation Approach for Disjunctive Deductive Databases. ADBIS 1996
Yiu-Kai Ng: A Formal Approach for Horizontal Fragmentation in Distributed Deductive

7 sigmod-rec-2004.dvi
Size: 527.44KB   MIME type: application/pdf

Automatic Composite Wrapper Generation for Semi- Structured Biological Data Based
Identification Liangyou Chen Hasan M. Jamil Nan Wang Department of Computer Scie
Mississippi State University, USA Department of Computer Science, Wayne State Univ
HIERARCHICAL REPEATED STRUCTURE RECOGNITION4.1 Structural Relationships of I
Data Model Æ ÆÆÆ % , & $ % 5. COMPOSITE WRAPPERS # .

8 5. FODO 1998: Kobe Japan
Size: 14.08KB   MIME type: text/html

The 5th International Conference of Foundations of Data Organization (FODO'98), Kol
1998. Wei Wang, Jiong Yang, Richard R. Muntz: PK-tree: A Spatial Index Structure fo
Data. Chien-Le Goh, Kazuki Aisaki, Masahiko Tsukamoto, Kaname Harumoto, Shojiro
Compression with Data Mining Methods.

9 CHI 97: WebStage: An Active Media Enhanced World Wide Web Browser
Size: 35.51KB   MIME type: text/html

Unlike conventional browsers, it displays Web pages using a television metaphor to er
access the Web. We applied WebStage to various Web pages such as newspaper publi
information pages of hardware/software venders, advertisements pages of local shop
galleries. WebStage is a Web browser which shows Web pages in a TV-program-like fc
for passive users to access the Web as well.

10 ECIR 2003
Size: 31.74KB   MIME type: text/html

Advances in Information Retrieval, 25th European Conference on IR Research, ECIR 2
2003, Proceedings. Michelle Fisher, Richard M. Everson: When Are Links Useful? Zhao
Volker Tresp: A Hybrid Relevance-Feedback Approach to Text Retrieval.

11 r0.www02-sw-workshop-no-refs.doc
Size: 22.38KB   MIME type: application/pdf

The Semantic Web Workshop at the 11 th International WWW Conference (WWW- 20(
Information Sciences Institute of the University of Southern California, Marina del Rey
frank@ isi. Rather than to annotate content, it may become necessary to provide sem
to access data in a process— Web Services based on semantic descriptions. Two othe
overcoming what can be described as a cold- start problem for the ...

12 Microsoft Word - p0-cover-logos.doc
Size: 6,491.03KB   MIME type: application/pdf

5M. J. Carey and J. Han RESEARCH ARTICLES AND SURVEYS Peer- to- Peer Managem
Research Challenges .... More details about distributed data mining could be found
generation rates in some data sources become faster than ever before. 3- Mining Tecl
has attracted the attention of data mining community for the last three years.

13 5 Brutzman lo

Size: 763.87KB   MIME type: application/pdf

VRML and Java: Scripts, Events, Naming and ROUTEs Interfaces between VRML and J;
Script nodes, an event engine, DEF/ USE naming conventions, and ROUTEs connectin
the VRML scene. VRML provides the 3D scene graph, Script nodes encapsulate Java ft
provide the wiring that connects computation to rendering. A scene demonstrating VR
Scripts, events, node naming, and ROUTEs is examined in Figure ...

14 CHI 97: Designing Usable & Visually Appealing Web Sites

Size: 36.37KB   MIME type: text/html

He has been involved with the web since 1993 and has designed, built and maintainec
web site over the past three years. Designing web pages of primarily text and graphic
and objectives than building a web application (e.g., shopping cart for internet comm€
interface - Working with multiple disciplines design the user interface.

15 http://www.acm.org/tog/resources/SPD/havran_stats_octrees.txt

Size: 47.59KB   MIME type: text/plain

the number of intersection tests per one ray N_TS[-] .. the number of elementary cell
N_EETS[-] .. the time needed to construct the octree data structure T_TR[s] ..

16 IDEAL 2002

Size: 51.89KB   MIME type: text/html

Intelligent Data Engineering and Automated Learning - IDEAL 2002, Third Internation,
UK, August 12-14, Proceedings. James F. Smith III: Data Mining for Fuzzy Decision Tr
Program. Mohd Khairudin Kasiran, Farid Meziane: An Information Model for a Merchar
Commerce.

17 http://acm.org/sigs/sigkdd/explorations/issues/3-1-2001-07/candan.pdf

Size: 108.97KB   MIME type: application/pdf

3. RDF MODEL AND RDF COMPONENTS The Resource Description Framework (RDF) is
[52] for describing information contained in a Web resource. rdf: Bag networks databi
courses courses rdf: type rdf:_ 1 rdf:_ 2 rdf:_ 3 cse. rdf: Bag networks databases sof
rdf: type rdf:_ 1 rdf:_ 2 rdf:_ 3 rdf: subject cse.

18 http://www.sigada.org/ada_letters/june2000/levine.pdf

Size: 66.20KB   MIME type: application/pdf

Belgian Ada Software : Free Ada Software Provided by Belgian Ada http:// www.
html~~~~~~
Ada Software Engineering Tools Project (ASENTO) consists of the tools, Ada Yacc (YACCA), which is
known Unix tool yacc, and Adaface, an interface generator for Ada programs and packages. These i
ManualThe Ada 95 RationaleLGL Ada Component LibraryGLADE Filter Add- OnsAda 95 ...

19 7. CIKM 1998: Bethesda, Maryland, USA

Size: 28.36KB   MIME type: text/html

Proceedings of the 1998 ACM CIKM International Conference on Information and Knov
Bethesda, Maryland, USA, November 3-7, 1998. Ladjel Bellatreche, Kamalakar Karlap

Approach for Rules and Data Allocation in Distributed Deductive Database Systems. H
Klaus R. Dittrich: Framboise - An Approach to Framework-Based Active Database Man
Construction.

20 http://www.siggraph.org/publications/newsletter/issues/v35/v35n3.pdf
Size: 3,723.80KB   MIME type: application/pdf

org SIGGRAPH Conference Advisory Group Chair G. Scott Owen Computer Science De
University Atlanta, GA 30303 Tel: +1- 404- 651- 0675 Fax: +1- 404- 651- 2246 Ema
org Computer Graphics is the newsletter of the Special Interest Group on Computer G
Computing Machinery. 10 CHAPTERS LISTING 12 COMPUTER GRAPHICS AROUND THE
in Germany Alain Chesnais, Jose Encarnação Explore the history of computer...

Results 1 - 20 of 59528

Result page: **1** 2 3 4 5 6 7 8 9 10 ...2977   next